

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.G. Box1450 Alxandrah Adginia 22313-1450 www.utous.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/073,948	02/14/2002	John Rhoades	032658-024	6384
42015	7590 01/09/2006		EXAMINER	
	PATENT GROUP, PI	PAN, DANIEL H		
P. O. BOX 2' FREDERICK	70 KSBURG, VA 22404		ART UNIT	PAPER NUMBER
, and the second			2183	
			DATE MAILED: 01/09/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Summary	10/073,948	RHOADES ET AL.			
omee neadment carmany	Examiner	Art Unit			
The MAU INC DATE of this communication and	Daniel Pan	2183			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim iill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEL	I. ely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status					
<ol> <li>Responsive to communication(s) filed on <u>24 Oct</u></li> <li>This action is <b>FINAL</b>. 2b) This</li> <li>Since this application is in condition for allowant closed in accordance with the practice under Exercise.</li> </ol>	action is non-final. ace except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-9,11-17,19-38,40-44,46-50,52-56 ar 4a) Of the above claim(s) 10,18,39,45,51 and 5  5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 1-9,11-17,40-44,46-50,52-56,58-60 ar 7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or	7 is/are withdrawn from consider				
Application Papers					
9) The specification is objected to by the Examiner 10) The drawing(s) filed on 30 September 2002 is/a Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction.  The oath or declaration is objected to by the Examiner	re: a)⊠ accepted or b)⊡ object drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) ☑ Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)			
Notice of References Cited (P10-892)  Notice of Draftsperson's Patent Drawing Review (PT0-948)  Information Disclosure Statement(s) (PT0-1449 or PT0/SB/08)  Paper No(s)/Mail Date 08/25/05.08/24/05, 01/30/	Paper No(s)/Mail Da				

Application/Control Number: 10/073,948

Art Unit: 2183

1. Clams 1-9, 11-17, 19-38, 40-44,46-50,52-56,58-60 are presented for examination. Claims 10,18,39,45,51,57 have been canceled.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-9, 11, 17,19, 20-22, 32, 34, 38, 40, 44, 46, 50,52,56, 59,60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Childers et al. (5,986,913) in view of Campbell et al. (5,021,947) .
- 3. As to claims 1-5,7-9, 19, 20,32, 34,52, Childers disclosed at least :
- a) an input and output device (or system) for receiving data packets (see fig.1 (data input);
- b) a plurality of processing elements to receive the data input (see fig-l (10), see (10) as a plurality of SIMD processing elements in col.3, lines 34-40, see fig.2 for the structure of each PE);

Wherein the input device was operable to distribute data packets in whole or in part (e.g. 1 to 1024 words) to the processing element depending the bandwidth (40 bit wide) of the processing elements (see col.4. lines 15-23).

Application/Control Number: 10/073,948 Page 3

Art Unit: 2183

- Childers did not specifically show the number of PEs was determined based on 4. the size of the data packet as claimed. However, Campbell disclosed a system including the number of PEs was determined by the length of the packets (see the function of number of PEs with the packet length fig.15). It would have been obvious to one of ordinary skill in the art to use Campbell in Childers for including the number of processing elements determined based on the size of packet as claimed because the use of Campbell could provide Childers the ability to allocate the data based on the available number of processing elements, thereby reducing the possible occurrence of the conflict among the fewer number of processing elements, and it could be achieved by configuring the control parameters of Campbell, such as the variable length of the data packet (see for variable length), into Childers so that the particular width of the packet could be recognized by a predetermined set of processing elements in Childers, and because Childers also taught that his number of processing elements had number of N which represented the number of data samples per line (see col.4, lines 7-24), which also recognizable by one of ordinary skill in the art that the more data samples, the greater the number of the processing elements would be, therefore, a suggestion of the need for determining the number of PEs based on the size of the packet size, and in doing so, provided a motivation.
- 5. As to clams, 11,52,34,59, 60, Childers also included the receiving and the outgoing of data packets (see the output in fig.2, see also the parallel output lines in col.8, lines 17,26).

Art Unit: 2183

6. As to claim 6, Childers disclosed that his processing elements process the input data with delay time to complete the pipeline (see col.3, lines 60-67, col.4, lines 1-1-6), therefore, not all the processing element receive data at a given time.

- 7. As to claims 17, 38, 56, Childers taught a plurality of processing elements operable to transfer data in and out of the processing elements (see fig.1 (10), see (10) as a plurality of SIMD processing elements in col.3, lines 34-40, see fig.2 for the structure of each PE), and capable of processing a single packet (e.g. see 1 to 1024 words).
- 8. As to claims 21 ,40, 44, Childers was also directed to s single integrated in plurality of integrated circuits (col.1, lines 39-40, see also the variation of the processing elements in col.3, lines 20-23).
- 9. As to claim 22,46, 50, Childers was also included circuit (see integrated circuit in fig.1 (101).

10. Claims 12,13, 35, 41, 47,53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Childers et al. (5,986,913) in view of Gove et al. (5,371,896).

Application/Control Number: 10/073,948 Page 5

Art Unit: 2183

11. As to claims 12,13,35,41,47,53, Childers did not specifically show the stand-by operation as clamed. However, Gove disclosed SIMD including a plurality ' of operable to receive data and included a stand-by operation ( see col.56, lines 48-52). It would have been obvious to one of ordinary skill in the art to use Gove in Childers for including the standby operation as claimed because the use of Gove could provide Childers the ability to avoid the error caused by the bus contention of the data traffic , and it could be done by reconfiguring the stand-by mode of Gove into Childers with modified control parameters (e.g. the busy and wait signals) so that the specific stand-by operation of Gove could be recognized by Childers, and Childers did disclose a delay time of the input data to complete his pipeline (see col.3, lines 60-67, col.4, lines 1-6), which was a suggestion of the need of providing a stand-by , wait cycle, or the like into the system in order to relieve the delay caused by the input data, and in doing so, provided a motivation.

- 12. As to claim 47, Gove also included operation (see the wait signal in plurality of integrated circuits (see fig.1).
- 13. Claims 23-31, 58 are rejected under 35 U.S.C. 102(a) and (b) as being anticipated by Horst (5,404,550).
- 14. As to claims 23,25, 58 Horst disclosed a SIMD system including e plurality of processing elements (see fig.6, col.1, lines 7-22 for background, see also col.2, lines 61-66 for the processing elements) operable to transfer data packet of deferent size

respective to the processing elements (see variable packet size in col.5, lines 14-18).

- 15. As to claim 24, Horst also included different addresses because the (e.g. see the received packet in different entries of the queue in col.1 1, lines 20-50, see also fig.15).
- 16. As to claims 26-28, Horst also directed to a batch of packets (see plurality of packets queues in col.1 1, lines 7-19).
- 17. As to claims 29-31, Horst also included transfer of the batches depending on the processing speed (see the readout of the waiting packet in col.11, lines 8-68, col.12, lines 1-9).
- 18. Claims 14,15, 33,36,37, 42,43, 48,49, 54,55 are rejected under 35 U. .S.C. 103(a) as being unpatentable over Brown (5,872,993) in view of Childers et al. (5,986,913).
- 19. As to claims 14,15, 36,37, 54, 55, Brown disclosed a data processing system (see fig.3) including at least:
- a) hardware accelerator (HW ACC) operable to receive processing requests from processing elements and return result to the processing elements (see the read/write requests tot eh hardware accelerator in col.25, lines 5-40, col.27, lines 50-67, \*1.28, lines 1-39, see how DSP communicated with HW ACC in col.7, lines 50-62, see the MCU and DFP as the functional operations with the DSP in col.7, lines 3-47 for background );
- b) input/output system for transferring requests form the processing elements (see

Page 7

Application/Control Number: 10/073,948

Art Unit: 2183

the DSP 300 and second DSP 360, col.6, lines 45-49) to the e hardware accelerator (e.g. see the DFP as an interface control in col.25, lines 5d0, 01.27, lines 50-67, col.28, lines'1-39);

- c) wherein the processing elements are operable to process the results when all such results were returned (see the data input and output from HW ACC in co1.25, lines 5-40, col.27, lines 50-67, col.28, lines 1-67, col.29, lines 1-67, col.30, lines 1-21). 15. Brown did not specifically show his processing elements (the DSPs) were single instruction and multiple data as claimed. However Childers disclosed a system including single instruction multiple data (e.g. see col.3, lines 34-40). It would have been obvious to one of ordinary skill in the ad to use Childers in Brown for including the single instruction multiple data as claimed because the use of Childers could provide the processing capability of Brown to integrate a specific type of processing mode, such as the single instruction multiple data into the digital system of Brown, thereby, providing the ability to accept additional processing structure, and therefore, increasing the adaptability of the system, and it could be readily achieved by predefining the single instruction and multiple data format of Childers with modified control parameters (e.g. the processing type and the mode switch single) into Brown so that the single instruction and multiple data format of Childers could be recognized by Brown in order to provide the enhanced processing capability, and for the above reasons, provided a motivation.
- 20. As to the order of the requests, see the request queuing in col.30, lines 12-21).

- 21. As to claim 33, Brown also included a second hardware accelerator unit (e.g. see fig.3 (HW ACC 2).
- 22. As to claims 42,43, Brown was also directed to integrated circuit because it was an embedded DSP system (e.g. see col.10-25).
- 23. As to claims 48,49, Childers also included plurality of integrated circuits (see col.1, lines 39-40).
- 24. Claim 16 rejected under 35 U.S.C. 103(a) as being unpatentable over Childers et al. (5,986,913) in view of Brown (5,872,993).
- 25. As to claim 16, the limitation of parent claim 1 have been discussed above, therefore, it will not be repeated herein. Childers did not specifically show the hardware accelerator as claimed. However, Brown disclosed a hardware accelerator unit (e.g. see fig.3 (HW ACC 2). It would have been obvious to one of ordinary skill in the art to use Brown in Childers because the use of Brown could provide capability into Childers to accept additional processing function of the input data.
- 26. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- a) Yoshida (5,428,812) is cited for the teaching of the variable number of processing elements with the packet size (see col.6, lines 15-56).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dan Pan whose telephone number is 703 305 9696, or

Application/Control Number: 10/073,948 Page 9

Art Unit: 2183

the new number 571 272 4172. The examiner can normally be reached on M-F from 8:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chan, can be reached on 703 305 9712, or the new number 571 272 4162. The fax phone number for the organization where this application or proceeding is assigned is 703 306 5404.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

21 Century Strategic Plan